



# UNITED STATES PATENT AND TRADEMARK OFFICE

ET

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/726,218	12/02/2003	Brian Algar	7678.576a.1.1	3751

22913 7590 06/02/2006

WORKMAN NYDEGGER  
(F/K/A WORKMAN NYDEGGER & SEELEY)  
60 EAST SOUTH TEMPLE  
1000 EAGLE GATE TOWER  
SALT LAKE CITY, UT 84111

EXAMINER

KRASS, FREDERICK F

ART UNIT PAPER NUMBER

1614

DATE MAILED: 06/02/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/726,218	<b>Applicant(s)</b> ALGAR ET AL.	
	<b>Examiner</b> Frederick Krass	<b>Art Unit</b> 1614	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 18 April 2006 (Election of Species).
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☒ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |                                                                                                                                                 |                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                                                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                                            | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>04/29/2004</u> . | 6) <input type="checkbox"/> Other: _____                                                |

### **Election of Species Requirement**

Upon reconsideration, the election of species requirement is withdrawn.

### **Enablement Rejection**

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-25 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

To be enabling, the specification of the patent must teach those skilled in the art how to make and use the full scope of the claimed invention without undue experimentation. In re Wright, 999 F.2d 1557, 1561 (Fed. Cir. 1993). Explaining what is meant by “undue experimentation,” the Federal Circuit has stated that

The test is not merely quantitative, since a considerable amount of experimentation is permissible, if it is merely routine, or if the specification in question provides a reasonable amount of guidance with respect to the direction in which the experimentation should proceed to enable the determination of how to

Art Unit: 1614

practice a desired embodiment of the claimed invention. PPG v. Guardian, 75 F.3d 1558, 1564 (Fed. Cir. 1996).<sup>1</sup>

The factors that may be considered in determining whether a disclosure would require undue experimentation are set forth by In re Wands, 8 USPQ2d 1400 (CAFC 1988) at 1404 where the court set forth the eight factors to consider when assessing if a disclosure would have required undue experimentation. Citing Ex parte Forman, 230 USPQ 546 (BdApls 1986) at 547 the court recited eight factors:

- 1) the quantity of experimentation necessary,
- 2) the amount of direction or guidance provided,
- 3) the presence or absence of working examples,
- 4) the nature of the invention,
- 5) the state of the prior art,
- 6) the relative skill of those in the art,
- 7) the predictability of the art, and
- 8) the breadth of the claims.

These factors are always applied against the background understanding that scope of enablement varies inversely with the degree of unpredictability involved. In re Fisher, 57 CCPA 1099, 1108, 427 F.2d 833, 839, 166 USPQ 18, 24 (1970). Keeping that in mind, the Wands factors are relevant to the instant fact situation for the following reasons:

1. The nature of the invention, state and predictability of the art, and relative skill level

---

<sup>1</sup> As pointed out by the court in In re Angstadt, 537 F.2d 498 at 504 (CCPA 1976), the key word is “undue”, not “experimentation”.

The claimed invention relates to bioactive glass compositions suitable for the treatment of dentinal hypersensitivity by long-term fluoride release. While the relative skill of those in the art is high (PHD or chemical engineer), this is outweighed by the unpredictable nature of the art.

Bioactive glasses for dental applications must be tailored to very narrow specifications. These glasses function, at least in part, by remineralization which occurs through leaching of phosphorus and oxygen; specific oxides must be used to obtain the necessary solubility ( $\text{SiO}_2$ ,  $\text{CaO}$ ,  $\text{Na}_2\text{O}$  and  $\text{P}_2\text{O}_5$ , at a minimum); see the passage bridging column 5, line 12 to column 6, line 27 of USP 6,086,374. Similarly, the relative proportions of  $\text{SiO}_2$ ,  $\text{CaO}$ ,  $\text{Na}_2\text{O}$  must be carefully controlled to avoid producing insoluble products: see Figure 5 of USP 5,891,233. See also Figure 1 of USP 5,762,950. See also USP 6,086,374 at the passage bridging column 5, line 54 to column 6, line 19 (discussing the solubility required for effective release of calcium and phosphate from bioactive glasses in the specific context of treatment of dentinal hypersensitivity).

Thus, the prior art demonstrates that formulating bioactive glasses for dental applications is an empirical undertaking, since unpredictable variations in solubility, fluoride release and/or bioactivity are expected when using different oxides, or the same oxides in differing proportions.<sup>2</sup>

## 2. The breadth of the claims

---

<sup>2</sup> Indeed, the state of the prior art is such that failure to select proper oxides in proper relative proportions results in non-bioactive glasses, which would be inoperable for the purposes of treating dentinal hypersensitivity. See, e.g.,

The claims are extremely broad, reciting bioactive glasses having only very generally characterized elemental compositions (overall percents of P, F and O, for example), but without specifying the particular oxides used, and their specific relative proportions.

3. The amount of direction or guidance provided and the presence or absence of working examples

Insofar as the examiner can determine based on the facts before him, the specification provides no guidance whatsoever as to the particular oxides used and their relative proportions, other than to briefly mention  $P_2O_5$  (at paragraph [0018], the basis for Applicant's election of species).

4. The quantity of experimentation necessary

The specification provides insufficient guidance with regard to these issues and provides information in the specification, figures and working examples inadequate to their resolution. No evidence has been provided which would allow one of ordinary skill in the art to predict that the claimed invention would function as inferred and contemplated by the specification with a reasonable expectation of success. In view of the above, one of ordinary skill in the art would be forced into undue experimentation to practice the claimed invention, *i.e.*, to determine the oxides to be used and their relative proportions.

### **Anticipation Rejection**

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Chemical Abstract 92:153090.

The prior art discloses the treatment of dentinal hypersensitivity by attaching a fluorine-releasing glass ionomer cement (a “fluoride releasing glass” in the broad sense) to hypersensitive teeth for a period of one month.

### **Provisional Obviousness-Type Double Patenting Rejection**

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re*

Art Unit: 1614

*Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-25 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-33, 35 and 37-52 of copending Application No. 10/069,143. This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

The conflicting claims are substantially the same in scope as those recited instantly, except that the former specify the use of bioactive glasses in the treatment of dental caries, whereas the latter specify their use in treating dentinal hypersensitivity. Since the two conditions are so closely interrelated in etiology and occurrence however, such that a person requiring treatment for dentinal hypersensitivity would generally also require treatment for incipient caries formation (and vice versa), the treatment of both simultaneously by a dentist would have been obvious on its face in a self-evident manner. (And, in any case, since the instant bioactive glasses provide long-term fluoride release, they would by definition provide long-term prophylactic treatment of caries as well).



### **Correspondence**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frederick Krass whose telephone number is (571) 272-0580. The examiner can normally be reached on Monday-Friday from 9:30AM to 6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marschel Ardin, can be reached at (571) 272-0718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Frederick Krass  
Primary Examiner  
Art Unit 1614

